

MACK LOCKS

General information as follows:

Identify the lock you need by the key blank used and the design of lock compared to the illustrations.

Identify which tumblers and keying kits to use according to the separate chart organized by the key blank numbers at the bottom of this section.

IGNITION LOCKS

If the lock uses B1 single sided key (B&S Groove 1), use part no. C-43-102 uncoded plug (illustration shows keys for reference only, not included with the uncoded plug)



If the lock uses B&S Groove 2 single sided key, use part no. C-43-104 uncoded plug (illustration shows keys for reference only, not included with the uncoded plug)



Scroll down for more

MACK LOCKS

DOOR LOCKS

If the lock uses B1 (B&S Groove 1) single sided key with shaft:

Short shaft - 5/8 inch long from the swivel to the end of the shaft

D-60-101 - single coded lock

DP-60-101 - keyed alike pair

Long shaft - 3 inches long from the swivel to the end of the shaft

D-60-102 - single coded lock

DP-60-102 - keyed alike pair

These locks may be disassembled for rekeying without removing a face cap.



If the lock uses B&S Groove 2 single sided key

Front passenger door locks with 1 inch diameter face cap

D-60-103 - single door lock coded with spare face cap for rekeying and reversible pawl for right or left side

DP-60-103 - keyed alike pair

Spare face caps are available as part no. P-43-204 - 5 caps per package



Baggage door locks with 0.95 inch diameter face cap - including pawl

Single coded locks with spare face cap for rekeying:

D-60-104 - key turns only to the left

D-60-105 - key turns only to the right

Spare face caps are available as part no. P-60-201 - 2 caps per package



Scroll down for tumblers and keying kit information

MACK LOCKS

TUMBLERS AND KEYING KITS:

Key Blank	Tumbler #1 depth	Tumbler #2 depth	Tumbler #3 depth	Tumbler #4 depth	Tumbler #5 depth	Springs	Keying kits and Notes
Groove 1 Groove 2	P-43-101	P-43-102	P-43-103	P-43-104	P-43-105	RP6429	A-43-101 keying kit